Express Mail ER 086353299 US ABSTRACT OF THE DISCLOSURE

A counter-flow aggregate dryer for an asphalt plant is equipped with a secondary feeder for introducing RAP or virgin materials intermediate the ends of the combustion zone of the dryer. Nonveiling flights in the combustion zone shield material carried through the combustion zone from direct radiant heat and veiling flights in the drying zone create a curtain of falling aggregates heated by a hot gas stream flowing in a countercurrent direction from a primary burner. A secondary burner elevates the temperature of the exhaust gas above its dew point temperature before delivery to the baghouse.

NUMERALS

PRIOR ART drum mixer 10

support frame 12 motor driven rollers 14 trunnion rings 16 rotational arrow 17 aggregate feeder 18 exhaust port 20 discharge housing 22 combustion assembly 24 blower 26 burner head 28 flights 30 recycle feed assembly 34 stationary box channel 35 feed hopper 36 flexible seals 37 scoops 38 scoop opening 40 sawtooth flighting 42 conveyor 44 injection tube 46 **INVENTION** cylindrical drum 50 support frame 52 drive rollers 54 trunnion rings 56 aggregate feeder 58 exhaust port 59 ductwork 60 air pollution control equipment 61 discharge housing 62 combustion assembly 64 burner head 68 flame envelope 69 material flights 70 recycle feed assembly 72 box channel 75 support legs 75a

feed hopper 76

Express Mail ER 086353299 US

```
flexible seals 77
       scoop openings 78
combustion flighting 80
mixer flighting 82
auger 84
injection tube 86
secondary combustion assembly 88
       supply line 90
       blower 92
       burner head 94
       thermocouple 95
       process controller 96
mixer cylinder 100
frusto-conical section 102
support frame 104
mixer drive rollers 106
trunnion rings 108
rotary mixer 110
batch plant pugmill mixer 112
continuous pugmill mixer 114
other mixing device 116
scoop plates 120
rotational arrow 122
trailing shields 124
inwardly extended legs 126
flighting plate 128
       leading lip 128a
       main body portion 128b
       trailing lip 128c
spoke frame 130
       continuous ring 130a
       holes 130b
       attachment legs 130c
upstanding plates 132
extension posts 134
open ended pipes 136
```